

# MATERIAL SAFETY DATA SHEET



Date Issued: 01.01.10  
MSDS Reference Number:  
Date Revised: 01.01.10  
Revision Number: 1  
Page 1 of 4

## 1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: GO FLOW  
GENERAL USE: Jetting Degreaser  
PRODUCT CODE: NA  
PRODUCT FORMULATION NAME: NA  
CHEMICAL FAMILY: Detergents  
GENERIC NAME: NA

24 HR. EMERGENCY TELEPHONE NUMBERS:  
CHEMTREC: (800) 424-9300 Outside US: (703)-527-3887  
ROCKY MOUNTAIN POISON CONTROL CENTER: (303) 739-1146

**MANUFACTURER:** Hydrus Detergents  
601 North Van Gordon  
Graettinger, IA. 51342  
**PHONE:** (712) 859.3999 **FAX:** (712) 859.3998

We believe this Material Safety Data Sheet conforms to the requirements of US OSHA 29 CFR 1910.1200, 91/155/EEC and Canadian Hazardous Products Act.

## 2. COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS	CAS NO.	OSHA PEL	ACGIH TLV	ORAL LD 50 RAT	PER-CENT
Sodium Metasilicate	6834-92-00	NE	NE	800 mg/kg	1-5%
Ethylene Glycol Monobutyl Ether *	111-76-2	25 ppm skin	25 ppm skin	470 mg/kg	1-5%
Ethoxylated Alcohol	68439-46-3	NE	NE	5100 mg/kg	1-5%
Sodium Dodecylbenzene Sulfonate	25155-30-0	NE	NE	2600 mg/kg	1-5%

\* Subject to reporting requirements of Section 313 of Title III of SARA and 40 CFR 372

## 3. HAZARDS IDENTIFICATION

### EMERGENCY OVERVIEW

PHYSICAL APPEARANCE: Reddish Liquid

IMMEDIATE CONCERNS: CAUTION: May cause eye burns or skin irritation.

### POTENTIAL SIDE EFFECTS

EYES: Could cause eye damage if not treated immediately.

SKIN: May be irritant if not rinsed off.

INGESTION: May be an irritant.

INHALATION: Avoid mist, may be an irritant.

### SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Irritation or burns.

SKIN: Mist can cause skin irritation.

INGESTION: Can cause irritation to the stomach.

INHALATION: Avoid mist, can be an irritant.

ACUTE TOXICITY: Irritation may be caused with exposure to mist.

CARCINOGENICITY: Not listed by NTP IARC or OSHA. MUTAGENICITY: No

### REPRODUCTIVE TOXIN

REPRODUCTIVE EFFECTS: No

TERATOGENIC EFFECTS: No

TARGET ORGAN STATEMENT: No

SENSITIZATION: No

## 4. FIRST AID MEASURES

EYES: Allow streaming water to flow over the face while blinking both eyes for 15 minutes for optimum irrigation. Get medical attention.

SKIN: Wash off immediately. Seek medical attention if irritation persists.

INGESTION: Do NOT induce vomiting. Give water or milk of Magnesia. Seek immediate medical attention.

INHALATION: If breathing is difficult move to fresh air.

NOTES TO PHYSICIAN: All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

# MATERIAL SAFETY DATA SHEET

GO FLOW

Page 2 of 4

## 5. FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD: > 212° F ASTM D-56  
FLAMMABLE LIMITS: NA  
AUTOIGNITION TEMPERATURE: NA  
FLAMMABLE CLASS: NA  
FLAME PROPAGATION OR BURNING RATE OF SOLIDS: NA  
GENERAL HAZARD: NA  
EXTINGUISHING MEDIA: Water, Carbon Dioxide, Foam, Dry Chemical.  
HAZARDOUS COMBUSTION PRODUCTS: NA  
FIRE FIGHTING PROCEDURES: Nothing specific.  
FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and any significant outdoor fires.  
SENSITIVE TO STATIC DISCHARGE: No  
SENSITIVITY TO IMPACT: No

## 6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Shut off leak if it can be done without injury. Pump to recovery container. Flush area with large amounts of water.  
LARGE SPILL: Shut off leak if it can be done without injury. Pump to recovery container. Flush area with large amounts of water.

### ENVIRONMENTAL PRECAUTIONS

WATER SPILL: Use appropriate containment to avoid runoff.  
LAND SPILL: Use appropriate containment to avoid runoff.  
GENERAL PROCEDURES: NA  
RELEASE NOTES: If spill could potentially enter any waterway, including intermittent dry creeks, contact the local authorities. If in the US, contact the US Coast Guard National Response Center toll free at 800-424-8802.

IN CASE OF ACCIDENT OR ROAD SPILL: Contact CHEMTREC at (800) 424-9300  
Outside US call: (703) 527-3887

See Section 13 for disposal information and Section 15 for regulatory requirements. Large and small spills may have a broad definition depending on the user's handling system. Therefore, the spill category must be defined at the point of release by technically qualified personnel.

## 7. HANDLING AND STORAGE

HANDLING: Handle in a well ventilated area. Handle and use in a manner consistent with good industrial and/or manufacturing techniques and practices.  
STORAGE: Store in a cool dry area. Keep container closed when not in use. Freeze/thaw stable however container may crack when frozen.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION (PPE)

OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200) See Section 2, Page 1.

ENGINEERING CONTROLS: Provide adequate ventilation.

### PERSONAL PROTECTIVE EQUIPMENT (PPE)

EYES AND FACE: Goggles Safety Glasses  
SKIN: Chemical resistant gloves.  
RESPIRATORY: NA

WORK HYGIENIC PRACTICES: Facilities storing or using this material should be equipped with an eyewash facility and a safety shower. Good personal hygiene practices should always be followed.

REMARKS: This product contains hazardous ingredients per OSHA 29 CFR 1910.1200. No PEL's or OEL's for this product or it's ingredients are listed in the current issue of ACGIH's Guide to Occupational Exposure values nor have they been determined by the manufacturer.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:	Liquid	ODOR:	Citrus Scent
APPEARANCE:	Liquid	COLOR:	Reddish
pH 5% solution:	11.7	VAPOR PRESSURE:	23@ 70° F.
DENSITY:	NA	BOILING POINT:	> 212° F.
FREEZING POINT:	32° F.	MELTING POINT:	32° F.
VAPOR DENSITY:	(Air=1) 1.2	SOLUBILITY IN WATER:	Soluble
VISCOSITY:	NA	SPECIFIC GRAVITY:	1.09
MOLECULAR WEIGHT:	NA	MOLECULAR FORMULA:	NA
		COEFF. OIL/WATER:	ND

# MATERIAL SAFETY DATA SHEET

GO FLOW

Page 3 of 4

---

## 10. STABILITY AND REACTIVITY

STABLE: Yes

HAZARDOUS POLYMERIZATION: No

CONDITONS TO AVOID: NA

STABILITY: This product is stable under normal ambient conditions of temperature and pressure.

POLYMERIZATION: Will NOT occur

HAZARDOUS DECOMPOSITION PRODUCTS: NA

INCOMPATIBLE MATERIALS: Strong acids and oxidizing agents.

---

## 11. TOXICOLOGICAL INFORMATION

ACUTE: Severe irritation to eyes, skin, mucous membranes of the respiratory tract, throat, mouth, esophagus and stomach if not treated immediately.

DERMAL LD<sub>50</sub>: ND

ORAL LD<sub>50</sub>: ND

INHALATION LC<sub>50</sub>: ND

EYE EFFECTS: Irritation, inflammation, burning may occur when using undiluted.

SKIN EFFECTS: Irritation may occur when using undiluted.

SENSITIZATION: NA

TARGET ORGANS: NA

CARCINOGENICITY: Not listed by IARC, NTP, or OSHA.

MUTAGENICITY: No

REPRODUCTIVE EFFECTS: No

TERATOGENIC EFFECTS: No

---

## 12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: No data available.

ECOTOXICOLOGICAL INFORMATION: ND

DISTRIBUTION: NA

CHEMICAL FATE INFORMATION: ND

---

## 13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Shut off leak if this can be done without injury. Then dispose of in a manner in accordance with all Federal, State and Local pollution control laws and regulations.

FOR LARGE SPILLS: Shut off leak if this can be done without injury. Then dispose of in a manner in accordance with all Federal, State and Local pollution control laws and regulations.

PRODUCT DISPOSAL: May be a hazardous waste. Dispose of in a manner in accordance with applicable regulations.

EMPTY CONTAINER: Dispose of in a manner in accordance with applicable regulations.

---

## 14. TRANSPORTATION INFORMATION

UNITED STATES AND CANADIAN PROPER SHIPPING NAME: Non-Hazardous Cleaning Compound.

HAZARDOUS LABEL: None

PRODUCT NAME: Go Flow by Hydrus Detergents

FREIGHT CLASS: 55

AIR (ICAO/IATA):

PROPER SHIPPING NAME:

LABEL: None

EUROPEAN TRANSPORTATION:

PROPER SHIPPING NAME: ND

LABEL: ND

INTERNATIONAL:

PROPER SHIPPING NAME: ND LABEL: ND

---

## 15. REGULATORY INFORMATION

UNITED STATES:

SARA TITLE III (SUPERFUND AMENDMENTS & REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: Ethylene Glycol Monobutyl Ether

FIRE: No

REACTIVITY: No ACUTE: Yes CHRONIC: Yes

313 REPORTABLE INGREDIENTS: Ethylene Glycol Monobutyl Ether

TITLE III NOTES:

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION AND LIABILITY ACT)

CERCLA RQ: NA

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA REGULATORY: Registered

NATIONAL RESPONSE CENTER: U.S. COAST GUARD NATIONAL CENTER PHONE: 800-424-8802.

# MATERIAL SAFETY DATA SHEET

GO FLOW

Page 4 of 4

## 15. REGULATORY INFORMATION (CONTINUED)

### CANADA:

WHMIS (WORKER HAZARDOUS MATERIALS INFORMATION SYSTEM) This product is WHMIS controlled.

CANADA INGREDIENT DISCLOSURE LIST: Yes

CANADIAN ENVIRONMENTAL PROTECTION ACT: ND

### EUROPEAN COMMUNITY:

EUROPEAN COMMUNITY REGULATORY: ND

### MEXICO: ND

STATE REGULATIONS: NA

## 16. OTHER INFORMATION

REASON FOR ISSUE: New MSDS



APPROVED BY: Dean Fernholz

TITLE: Manager/Chemist

PREPARED BY: Dean Fernholz

INFORMATION CONTACT: Hydrus Detergents 712.859.3999

REVISION SUMMARY: Revision 1 OF 1.

HMIS RATING		NFPA RATING	
HEALTH	2	HEALTH:	2
FLAMMABILITY:	0	FLAMMABILITY:	0
PHYSICAL HAZARD:	0	INSTABILITY:	0
PERSONAL PROTECTION:	B	SPECIAL HAZARDS:	ALK
KEY		KEY	
SEVERE:	4	OXIDIZER =	OXY
SERIOUS:	3	RADIATION HAZARDS =	
MODERATE:	2	USE NO WATER =	
SLIGHT	1	ALKALI =	ALK
MINIMAL	0	CORROSIVE =	COR
		ACID =	ACID
		POLYMERIZES =	P

### Key Legend:

TLV = Threshold Limit Value

PEL = Permissible Exposure Limit

OSHA = Occupational Safety and Health Administration

ACGIH = American Conference of Governmental Industrial Hygienists

NPCA = National Paints & Coatings Association

HMIS = Hazardous Materials Identification System

NFPA = National Fire Protection Agency

TWA = Time Weighted Average

NTP = Nation Toxicology Program

IARC = International Agency for Research on Cancer

NE = None Established

ND = None Determined

NA = None Available

COEFF = Coefficients

We believe this Material Safety Data Sheet conforms to the requirements of US OSHA 29 CFR 1910.1200, 91/155/EEC and Canadian Hazardous Products Act. We believe the information contained on this Material Safety Data Sheet is current and offered in good faith. The information is provided for your guidance only. Hydrus Detergents makes no warranty of any kind, express or implied, concerning the accuracy or completeness of the information and data herein. It is the user's obligation to determine the suitability of this product for a specific purpose and the conditions for safe use of the product. We reserve the right to revise this Material Safety Data Sheet as newer information becomes available. Hydrus Detergents makes no warranty of any kind.